

Heflin


7254A2TF1



Flame retardant fleece lining with sleeves

Available until end of stock.

This warm, flame retardant long sleeve fleece lining with knitted wind cuffs at the sleeve ends protects you very well against the cold, while it is still breathable. The lining cannot be worn separately, but is perfectly suitable to be zipped into the Talbot rain jacket. The lining underwent an anti-pilling treatment and has been provided with a slit pocket to reach the inside pocket of the rain jacket.



Flame retardant fleece lining with sleeves

Heflin - 7254A2TF1

European Standards: *(based upon size L)*

- » EN ISO 14116 : 2015 / IND. 1
- » EN 14058 : 2017 / Class 11 xx
- » EN ISO 13688 : 2013

Exterior:

- » Zip closure
- » Slitopening to inside pocket of rain jacket
- » Round sleeves
- » Knitted wind cuffs at end of sleeves
- » Not to be worn separately
- » Back length 64 cm (L)

Fabric:

Double sided fleece: 100% flame retardant polyester; ± 275 g/m²

Sizes:

S - XXXL

Colour:

- » B75 Navy Blue

I.L.S.:

7252

Packaging:

5 pieces per box

Wash and care instructions:



SIOEN head office

Fabriekstraat 23
B-8850 Ardoorie
Belgium

T: +32 (51) 740 800

F: +32 (51) 740 962

www.sioen-ppc.com



Discover
our products

© 2020 Sioen Apparel - Protection through Innovation, Flexothane®, Siopor® and the SIOEN logo are trademarks of the Sioen Industries Group.

Please note that all information given in this document is intended to be useful and informative and is correct to the best of our knowledge at time of print. No liability can be accepted for inaccuracies or omissions. The right is reserved to amend this information without prior notice. All our technical files, style descriptions, presentations, designs and drawings, give the latest update of the standards and design or style features of each product. However, delivered products may comply with previous standards, design or style features. For that Sioen disclaims any liability whatsoever. Contact our sales for full information if specific requirements are needed.