

New
Stein

661AA2BOZ



Bib and brace

The Stein is a sturdy bib & brace made out of strong and tear resistant Texoflex. As the fabric is 100% water- and windproof this bib & brace is ideal for performing all kind of maintenance works in harsh weather conditions. As the knee areas are often sensitive to wear, these areas have been reinforced. The fluorescent colour ensures your visibility while the welded seams make sure no water penetration is possible. The fabric can take a hit, but it remains a very supple bib and brace to wear. Simple in design but effective in protection, that is the Stein.



Bib and brace

Stein - 661AA2BoZ

European Standards: (based upon size L)

» Based on essential safety requirements annex II - § 1

Exterior:

- » 1 patched chest pocket
- » 2 inset pockets
- » Braces with buckle
- » Elasticated waist
- » Bib in front and back

Fabric:

Texoflex: 100% polyester knitting with PVC/PU coating; ± 400 g/m²

Sizes:

S - XXXL

Colour:

» 209 Hi-Vis Orange / Navy Blue


Combining products:

660A

Packaging:

10 pieces per box

Wash and care instructions:



SIOEN head office

Fabriekstraat 23

B-8850 Ardoorie

Belgium

T: +32 (51) 740 800

F: +32 (51) 740 962

www.sioen-ppc.com



Discover
our products

© 2020 Sioen Apparel - Protection through Innovation, Flexothane®, Siopor® and the SIOEN logo are trademarks of the Sioen Industries Group.

Please note that all information given in this document is intended to be useful and informative and is correct to the best of our knowledge at time of print. No liability can be accepted for inaccuracies or omissions. The right is reserved to amend this information without prior notice. All our technical files, style descriptions, presentations, designs and drawings, give the latest update of the standards and design or style features of each product. However, delivered products may comply with previous standards, design or style features. For that Sioen disclaims any liability whatsoever. Contact our sales for full information if specific requirements are needed.